Tara

Screen White Back
Recycled Fabric



Roller screen fabric collection for public and corporate use.

- Made from recycled materials
- 5 colours
- Effective shading and privacy
- Fire retardant

Recycled Fabric

yewdale Defiant®
FABRIC AND BLIND SYSTEMS

YewdaleDefiant®
tara screen white back recycled fabric


shading efficiency

Transmittance is the amount of light and heat transmitted beyond the fabric. The lower the amount, the greater the efficiency.

Block/reflect is the amount of heat and light that is blocked or reflected. The higher the amount, the greater the efficiency.

Absorption is the amount of heat and light absorbed in the fabric. The higher the amount, the lower the efficiency.

Ultraviolet protection illustrates how protective the fabric is against ultraviolet rays. The higher the amount, the greater the effectiveness.



Please enquire about other fabrics that we have available...



dart | eden blackout | eden blackout white back | lyn



roach | roe | stour | thames



yare | harrier | tara dimout & blackout wb

1% Screen (F-Front) (R-Rear)	3000 mm	Light Transmittance %	Light Reflectance %	Light Absorption %	Solar Transmittance %	Solar Reflectance %	Solar Absorption %	Ultraviolet Transmittance %	GTOT	Shading Co-efficiency
Chalk (F)		16	78	6	19	73	8	3	0.32	0.42
Chalk (R)		17	79	4	19	73	8	3	0.32	0.42
Chalk - Sand (F)		10	59	31	14	60	26	2	0.38	0.50
Chalk - Sand (R)		11	70	19	14	67	19	2	0.35	0.46
Chalk - Platinum (F)		8	45	47	10	45	45	2	0.45	0.59
Chalk - Platinum (R)		8	62	30	10	59	31	2	0.38	0.50
Chalk - Storm (F)		5	26	69	5	24	71	2	0.54	0.71
Chalk - Storm (R)		5	53	42	6	49	45	2	0.42	0.55

3% Screen (F-Front) (R-Rear)	3000 mm	Light Transmittance %	Light Reflectance %	Light Absorption %	Solar Transmittance %	Solar Reflectance %	Solar Absorption %	Ultraviolet Transmittance %	GTOT	Shading Co-efficiency
Chalk (F)		19	76	5	21	71	8	5	0.34	0.45
Chalk (R)		19	76	5	21	70	9	5	0.34	0.45
Chalk - Latte (F)		19	75	6	21	70	9	5	0.34	0.45
Chalk - Latte (R)		19	75	6	21	70	9	5	0.34	0.45
Chalk - Sand (F)		15	60	25	16	60	24	5	0.38	0.50
Chalk - Sand (R)		16	67	17	19	64	17	5	0.37	0.49
Chalk - Platinum (F)		12	48	40	14	47	39	5	0.44	0.58
Chalk - Platinum (R)		12	62	26	14	59	27	5	0.39	0.51
Chalk - Storm (F)		9	31	60	10	28	62	4	0.53	0.70
Chalk - Storm (R)		10	55	35	11	50	39	4	0.43	0.57

OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 1711058 Centexbel tested for harmful substances. www.oeko-tex.com/standard100

REACH COMPLIANCE

PVC FREE

FR

RECYCLABLE

ENERGY SAVING

F58

Products and specifications liable to change without notice E&OE ©Yewdale 2025 Performance data has been compiled using available group data and we recommend that fabric is checked for actual suitability for any particular application before use

YewdaleDefiant®
tara screen white back recycled fabric

The YewdaleDefiant® Tara Screen White Back fabric is a uniquely stylish recycled fabric available in 5 colours. It's made from 85% recycled post-consumer materials, salvaged from polluted oceans and general waste to reduce its environmental impact.

This flame retardant fabric is PVC-free and recyclable. Each colour of the Tara Screen fabric is available with a choice of 2 screening capabilities, allowing 1% or 3% of light through. This is an excellent fabric to reduce solar glare and maintain natural light. The white back coating helps reflect the sun's heat while creating a uniform external view.

Fabric Composition:	85% Recycled Polyester, 15% Polyester
Fabric Range:	9
Roller Fabric Width:	3000mm
Roller Fabric Length:	30m
Fabric Thickness:	1%: 0.55mm 3%: 0.56mm
Fabric Weight:	1%: 330 g/m² 3%: 290 g/m²
Fire Retardancy:	Conforms to BS5867, Part 2: Type B
Shading:	High Performance Screen. Suitable for computer environments
Moisture Resistance:	Suitable for moist conditions
Care Instructions:	Wipe clean, damp sponge
Light Fastness:	min. 6-7


A **LIFETIME Warranty** applies to YewdaleDefiant® fabrics when used with our complete systems.
A 5 year warranty applies when used in other systems.

Manufactured using recycled post-consumer materials

CI/SfB 1976 reference by SfB Agency

	(76.7)	X	

Chalk 1%



Chalk 3%

Chalk - Latte 3%

Chalk - Sand 1%



Chalk - Sand 3%



Chalk - Platinum 1%



Chalk - Platinum 3%



Chalk - Storm 1%



Chalk - Storm 3%



Call: +44 (0)1268 570900

Email: sales@yewdale.co.uk Visit: yewdale.co.uk