

LOUVOLITE® HIGH PERFORMANCE FABRIC
































FLAME RETARDANT VERTICAL, ROLLER, ROMAN & PANEL WINDOW BLINDS





































































COLOUR SELECTOR CARD

Cl/SfB reference by SfB Agency			
(76.7)	X		

LOUVOLITE® PERFORMANCE FABRIC | SWATCHES

				
Nocturne™ Calico 5	Ex-Lite® Cream 5	Perspective Desert Sand 3	Carnival Papaya UF 3	Nocturne™ Papaya 5
				
Contex SPC® Apollo UF 3	Carnival Ivory UF 3	Perspective Tuscan Beige 2	Ex-Lite® Sand 5	Nocturne™ Maize 5
				
Guardian® Chalk UF 3	Tribune® Calico V UF 3	Guardian® Cream UF 3	Dapple SPC® Blush 3	Contex SPC® Galaxy UF 3
				
Sundown Dune 5	Contex SPC® Neptune UF 3	Carnival Caramel UF 3	Guardian® Beige UF 3	Tribune® Caramel V UF 3
				
Maine Angora 5	Carnival Praline UF 3	Nocturne™ Truffle 5	Carnival Truffle UF 2	Oslo Jasper 3
				
Maine Truffle 5	Nocturne™ Steel 5	Carnival Clay UF 3	Carnival Mink UF 3	Oslo Hazel 3
				
Carnival Blossom UF 3	Carnival Peony UF 3	Nocturne™ Peony 5	Carnival Fuchsia UF 3	Carnival Mulberry UF 3
				
Nocturne™ Sunset 5	Carnival Sunset UF 3	Carnival Coral UF 3	Carnival Bonbon UF 3	Nocturne™ Bonbon 5
				
Carnival Chelsea Red UF 3	Nocturne™ Chelsea Red 5	Carnival Maraschino UF 3	Guardian® Tomato UF 3	Nocturne™ Merlot 5
				
Carnival Heather UF 3	Carnival Claret UF 3	Carnival Purple UF 3	Nocturne™ Wineberry 5	Carnival Grape UF 3

				
Voile FR® Natural ①	Sundown Chalk ⑤	Carnival Cream UF ③	Ex-Lite® Ivory ⑤	Nocturne™ Papyrus ⑤
				
Sundown Calico ⑤	Dapple SPC® Maize ③	Tribune® Beige V UF ②	Carnival Ecru UF ③	Guardian® Parchment UF ③
				
Voile FR® Cream ①	Ex-Lite® Putty ⑤	Carnival Taupe UF ③	Oslo Birch ②	Nocturne™ Taupe ⑤
				
Carnival Hessian UF ②	Nocturne™ Wheat ⑤	Oslo Bamboo ②	Oslo Maple ②	Maine Maize ⑤
				
Dapple SPC® Cream ③	Carnival Buttercup UF ③	Carnival Ochre UF ②	Nocturne™ Ochre ⑤	Carnival Lime UF ③
				
Carnival Spring Green UF ③	Carnival Chartreuse UF ③	Nocturne™ Pear ⑤	Carnival Kiwi UF ③	Nocturne™ Leaf ⑤
				
Contex SPC® Meteor UF ③	Carnival Lily UF ③	Carnival Willow UF ③	Guardian® Fern UF ③	Carnival Ivy UF ③
				
Carnival Powder Blue UF ③	Guardian® Pale Blue UF ③	Carnival Sky UF ③	Nocturne™ Bluebell ⑤	Carnival Cornflower UF ③
				
Nocturne™ Duckegg ⑤	Carnival Misty Blue UF ③	Carnival Scuba UF ③	Carnival Pacific UF ③	Nocturne™ Sapphire ⑤
				
Sundown Airforce Blue ⑤	Carnival Denim UF ③	Carnival Royal UF ④	Guardian® Royal UF ③	Dapple SPC® Royal ④

				
Perspective Arctic White (2)	Nocturne™ Frost (5)	Dapple SPC® Ice (3)	Guardian® White (UF 3)	Tribune® White (V UF 2)
				
Carnival China White (UF 2)	Ex-Lite® Snow (5)	Contex SPC® Lunar (UF 2)	Maine White (5)	Sundown White (5)
				
Ex-Lite® White (5)	Voile FR® White (1)	Ex-Lite® Light Grey (5)	Guardian® Flint (UF 3)	Carnival Luna (UF 3)
				
Carnival Birch (UF 3)	Perspective Windspray Grey (3)	Voile FR® Grey (1)	Perspective Shale Grey (3)	Carnival Paloma (UF 3)
				
Sundown Aluminium Grey (5)	Dapple SPC® Slate (3)	Tribune® Flint (V UF 3)	Sundown Steel Grey (5)	Ex-Lite® Slate (5)
				
Nocturne™ Slate (5)	Carnival Pewter (UF)	Guardian® Charcoal (UF 3)	Oslo Graphite (3)	Guardian® Jet Black (UF 3)
				
Sundown Black (5)	Carnival Raven (UF 4)	Nocturne™ Ebony (5)	Ex-Lite® Black (5)	Perspective Black Iron (3)
				
Sundown Navy Blue (5)	Tribune® Midnight (V UF 2)	Nocturne™ Twilight (5)	Carnival Navy (UF 4)	Ex-Lite® Navy (5)

(V) - Vertical blinds only

(UF) - Ultrafresh treated fabric

Dim out factor

1 - Translucent 5 - Blackout

(1) (2) (3) (4) (5)

LOUVOLITE PERFORMANCE FABRIC | PROPERTIES

FABRIC PROPERTIES | KEY



SPC® SOLAR PROTECTIVE COATING:

Fabric allows in natural light whilst reducing solar gain more effectively than conventional fabrics.



CCT® COLD COAT TECHNOLOGY:

Specialist reflective fabric coating allows less heat transmittance, less heat absorption and less heat radiation. Particularly effective on darker coloured fabric - all achieved through improved reflectance.



GREENSHIELD: Fabrics featuring the Greenshield mark have been tested to confirm no harmful VOC's or hazardous substances will be released to the environment in

quantities that are recognised as potentially dangerous to occupants of dwellings or buildings.



ULTRA-FRESH®: An Ultra-Fresh® treated fabric that kills MRSA on contact. Also contains effective antibacterial and antifungal properties to preserve fabric freshness.

*Ultra-fresh™ is a registered trademark of Thomson Research Associates, Canada

TVIS/TV: Visible Light Transmittance is the amount of light in the visible portion of the spectrum that passes through a material. For Tvis/Tv data please refer to the Louvolite equivalent, which you will find in the To (optical transmission) column on each fabric range card.

NOTE: You can refer to the Louvolite® Performance Fabrics book for more in-depth information.



BLACK OUT FABRICS



SUITABLE FOR MOIST ENVIRONMENTS


SHADING CO-EFFICIENT (SC)

The solar heat gain with the blind at the window divided by the solar heat gain with no blind at the window. The lower the shading co-efficient, therefore, the higher the efficiency of the fabric. The test results in the table above have been achieved using a single 6mm glass glazing system.

G TOT

A measure of total solar energy that passes through the glazing system and the blind fabric.

T: % Transmittance
R: % Reflectance
A: % Absorption
SC: Shading Co-efficient



UV Block: the percentage of UV light blocked by the fabric

CARNIVAL

ROLLER / ROMAN BLIND WIDTH: 2.05m (80")

VERTICAL WIDTHS: 89mm (3½")

127mm (5") other widths available on request

FABRIC COMPOSITION: 100% polyester

FABRIC WEIGHTS: 270g/m2 (8.0oz/yd2)

FLAMMABILITY STANDARDS: Complies with BS 5867

(Part 2, Type B)

COLOUR FASTNESS: Tested in accordance with

BS EN ISO 105-B01:1999

CLEANING: Vertical blind fabrics are machine washable.

Other fabrics can be wiped clean.

AVAILABLE AS

VERTICAL

ROLLER

ROMAN

PANEL



	SOLAR			OPTICAL							G TOT			
	T _s	R _s	A _s	T _o	R _o	A _o	SC	CF	DIM OUT	UV BLOCK	SG	DG	TG	DG LE
Birch	19	60	21	13	58	29	0.42	6+	3	100	0.33	0.35	0.36	0.40
Blossom	22	65	13	17	63	20	0.37	6+	3	99	0.31	0.33	0.34	0.38
Bonbon	18	52	30	6	30	64	0.50	6	3	100	0.39	0.40	0.41	0.45
Buttercup	18	65	17	17	76	7	0.37	6	3	100	0.29	0.31	0.33	0.37
Caramel	13	57	30	5	52	43	0.45	6+	3	100	0.34	0.36	0.38	0.42
Chartreuse	13	53	34	8	57	35	0.49	6+	3	100	0.36	0.38	0.39	0.43
Chelsea Red	15	43	42	2	16	82	0.58	6+	3	100	0.35	0.38	0.39	0.43
China White	15	75	10	13	86	1	0.28	6+	3	100	0.22	0.24	0.22	0.31
Coral	18	50	32	6	31	63	0.52	6+	3	100	0.39	0.41	0.41	0.45
Cornflower	15	56	29	5	43	52	0.46	6+	3	100	0.35	0.37	0.38	0.43
Claret	13	37	50	0	8	92	0.64	6+	3	100	0.45	0.47	0.47	0.52
Clay	14	49	37	3	32	65	0.53	6+	3	100	0.40	0.42	0.43	0.48
Cream	16	71	13	16	82	2	0.31	6	3	100	0.25	0.27	0.30	0.33
Denim	8	39	53	0	12	88	0.62	6+	3	100	0.43	0.46	0.46	0.51
Ecu	18	36	46	11	70	19	0.65	6	3	100	0.29	0.31	0.33	0.38
Fuchsia	16	46	38	2	17	81	0.56	6+	3	100	0.41	0.43	0.43	0.48
Grape	12	38	50	0	6	94	0.63	6+	3	100	0.44	0.47	0.47	0.52
Heather	14	60	26	5	49	46	0.42	6	3	100	0.32	0.35	0.37	0.40
Hessian	17	55	28	8	47	45	0.47	6	2	100	0.32	0.38	0.39	0.43
Ivory	17	69	14	14	77	9	0.33	6+	3	100	0.26	0.29	0.31	0.35
Ivy	11	33	56	0	12	88	0.68	6+	3	100	0.47	0.49	0.48	0.54
Kiwi	14	45	41	6	38	56	0.57	6	3	100	0.41	0.43	0.43	0.48
Lily	12	56	32	3	52	45	0.46	6+	3	100	0.34	0.36	0.38	0.42
Lime	14	47	39	7	43	50	0.55	6+	3	100	0.40	0.42	0.43	0.47
Luna	18	57	25	11	49	40	0.45	6+	3	100	0.36	0.37	0.38	0.42
Maraschino	11	40	49	1	14	85	0.61	6+	3	100	0.43	0.45	0.46	0.50
Mink	13	41	46	1	17	82	0.60	6+	3	100	0.34	0.37	0.39	0.42
Misty Blue	13	56	31	3	45	52	0.46	6	3	100	0.34	0.37	0.38	0.42
Mulberry	12	48	40	0	23	77	0.54	6+	3	100	0.39	0.42	0.44	0.49
Navy	10	31	59	0	5	95	0.70	6+	4	100	0.47	0.50	0.49	0.54
Ochre	15	59	26	5	65	30	0.43	6+	2	100	0.36	0.37	0.38	0.42
Pacific	14	43	43	1	17	82	0.58	6	3	100	0.42	0.44	0.44	0.49
Paloma	15	50	35	5	36	59	0.52	6+	3	100	0.39	0.41	0.41	0.45
Papaya	18	62	20	14	62	24	0.40	6+	3	100	0.32	0.34	0.35	0.39
Peony	21	61	18	13	53	34	0.41	6+	3	100	0.34	0.36	0.37	0.40
Pewter	13	39	48	0	15	85	0.62	5	3	100	0.44	0.47	0.46	0.51
Powder Blue	12	58	30	4	50	46	0.44	6+	3	100	0.35	0.37	0.38	0.42
Praline	13	44	43	1	26	73	0.57	6+	3	100	0.41	0.44	0.44	0.49
Purple	13	44	43	0	13	87	0.57	5+	3	100	0.41	0.44	0.44	0.49
Raven	11	32	57	0	6	94	0.69	6+	4	100	0.44	0.47	0.48	0.52
Royal	13	36	51	0	11	89	0.65	6+	4	100	0.44	0.47	0.47	0.52
Scuba	13	44	43	2	13	85	0.57	5+	3	100	0.41	0.43	0.43	0.48
Spring Green	12	61	27	7	65	28	0.41	6+	3	100	0.31	0.34	0.39	0.43
Sky	12	59	29	2	47	51	0.43	6	3	100	0.32	0.35	0.37	0.41
Sunset	17	49	34	6	29	65	0.53	6+	3	100	0.39	0.40	0.41	0.46
Taupe	15	54	31	5	45	50	0.48	6	3	100	0.36	0.46	0.46	0.51
Truffle	13	39	48	8	16	76	0.62	6	2	100	0.44	0.46	0.46	0.51
Willow	17	53	30	10	48	42	0.49	6+	3	100	0.38	0.39	0.40	0.44

TABLE KEY:

T: % Transmittance | R: % Reflectance | A: Absorption

SC: Shading Coefficient | CF: Colour Fastness

Dim Out: 1 = High Light Penetration, 4 = Low Light Penetration, 5 = Blackout

UV Block: The percentage of the UV light blocked by the fabric

GTOT: SG = Single Glazed, DG = Double Glazed, TG = Triple Glazed,

DG LE = Double Glazed Low Emissivity

GUARDIAN®

ROLLER / ROMAN WIDTH: 2.00m (78")

VERTICAL WIDTHS: 89mm (3½")

127mm (5") other widths
available on request

FABRIC COMPOSITION: 100% polyester

FABRIC WEIGHTS: 280g/m2 (8.3oz/yd2)

FLAMMABILITY STANDARDS: Complies with BS 5867

(Part 2, Type B)

COLOUR FASTNESS: Tested in accordance with BS EN ISO

105-B01:1999

CLEANING: Vertical blind fabrics are machine washable.

Other fabrics can be wiped clean.

AVAILABLE AS
VERTICAL
ROLLER
ROMAN



GUARDIAN® | SOLAR, OPTICAL PERFORMANCE CHART

Fabric Colours	SOLAR			OPTICAL							G TOT			
	T _s	R _s	A _s	T _o	R _o	A _o	SC	CF	DIM out	UV block	SG	DG	TG	DG LE
Beige	9	55	36	2	45	53	0.47	6+	3	100	0.34	0.37	0.39	0.43
Chalk	16	71	13	14	78	8	0.31	5+	3	100	0.27	0.30	0.31	0.35
Charcoal	7	39	54	0	14	86	0.62	6+	3	100	0.32	0.41	0.42	0.46
Cream	16	69	15	13	74	13	0.33	6+	3	100	0.27	0.30	0.32	0.36
Fern	7	48	45	0	63	37	0.54	6+	3	100	0.35	0.36	0.37	0.41
Flint	9	60	31	2	52	46	0.42	6+	3	100	0.36	0.37	0.38	0.40
Jet Black	5	32	63	0	6	94	0.69	6+	3	100	0.39	0.41	0.42	0.46
Pale Blue	12	62	26	6	60	34	0.40	6+	3	100	0.32	0.35	0.36	0.41
Parchment	11	60	29	3	50	47	0.42	6+	3	100	0.31	0.34	0.36	0.40
Royal	8	33	59	0	10	90	0.68	6+	3	100	0.44	0.47	0.47	0.52
Tomato	5	41	54	0	12	88	0.60	6+	3	100	0.36	0.39	0.40	0.43
White	17	75	8	16	83	1	0.28	6+	2	100	0.24	0.26	0.29	0.33

NOCTURNE™

ROLLER / ROMAN WIDTH: 2.05m (80")

VERTICAL WIDTHS: 89mm (3½")

127mm (5") other widths
available on request

FABRIC COMPOSITION: 100% polyester

FABRIC WEIGHTS: 370g/m2 (10.9oz/yd2)

FLAMMABILITY STANDARDS: Complies with BS 5867

(Part 2, Type B)

COLOUR FASTNESS: Tested in accordance with BS EN ISO

105-B01:1999

CLEANING: Wipe clean.

AVAILABLE AS
VERTICAL
ROLLER
ROMAN
PANEL



NOCTURNE™ | SOLAR, OPTICAL PERFORMANCE CHART

Fabric Colours	SOLAR			OPTICAL							G TOT			
	T _s	R _s	A _s	T _o	R _o	A _o	SC	CF	DIM out	UV block	SG	DG	TG	DG LE
Bluebell	0	73	27	0	87	13	0.29	6	5	100	0.24	0.27	0.30	0.33
Bonbon	0	48	52	0	26	74	0.54	6	5	100	0.32	0.35	0.37	0.41
Calico	0	73	27	0	87	13	0.29	6	5	100	0.42	0.45	0.45	0.50
Chelsea Red	0	34	66	0	14	86	0.67	6	5	100	0.44	0.46	0.46	0.51
Duckegg	0	73	27	0	87	13	0.29	6	5	100	0.28	0.31	0.34	0.37
Ebony	0	8	92	0	8	92	0.92	6	5	100	0.37	0.40	0.41	0.45
Frost	0	73	27	0	87	13	0.29	6	5	100	0.47	0.49	0.48	0.53
Leaf	0	45	55	0	37	63	0.57	6	5	100	0.31	0.34	0.36	0.40
Maize	0	73	27	0	87	13	0.29	6	5	100	0.46	0.48	0.48	0.53
Merlot	0	18	82	0	11	89	0.83	6	5	100	0.48	0.50	0.49	0.54
Ochre	0	51	49	0	53	47	0.51	6	5	100	0.32	0.35	0.67	0.41
Papaya	0	73	27	0	87	13	0.29	6	5	100	0.20	0.23	0.26	0.30
Papyrus	0	73	27	0	87	13	0.29	6	5	100	0.20	0.23	0.26	0.30
Pear	0	73	27	0	87	13	0.29	6	5	100	0.20	0.23	0.26	0.30
Peony	0	73	27	0	87	13	0.29	6	5	100	0.20	0.23	0.26	0.30
Sapphire	0	27	73	0	11	89	0.74	6	5	100	0.20	0.23	0.26	0.30
Slate	0	19	81	0	20	80	0.82	6	5	100	0.20	0.23	0.26	0.30
Steel	0	73	27	0	87	13	0.29	6	5	100	0.20	0.23	0.26	0.30
Sunset	0	47	53	0	33	67	0.55	6	5	100	0.20	0.23	0.26	0.30
Taupe	0	73	27	0	87	13	0.29	6	5	100	0.20	0.23	0.26	0.30
Truffle	0	25	75	0	18	82	0.76	6	5	100	0.20	0.23	0.26	0.30
Twilight	0	11	89	0	8	92	0.89	6	5	100	0.20	0.23	0.26	0.30
Wheat	0	73	27	0	87	13	0.29	6	5	100	0.20	0.23	0.26	0.30
Wineberry	0	24	76	0	13	87	0.77	6	5	100	0.20	0.23	0.26	0.30

DAPPLE SPC+®

ROLLER / ROMAN WIDTH: 2.00m (78")

VERTICAL WIDTHS: 89mm (3½")

127mm (5") other widths
available on request

FABRIC COMPOSITION: 100% polyester

FABRIC WEIGHTS: 270g/m2 (8.0oz/yd2)

FLAMMABILITY STANDARDS: Complies with BS 5867

(Part 2, Type B)

COLOUR FASTNESS: Tested in accordance with BS EN ISO

105-B01:1999

CLEANING: Vertical blind fabrics are machine washable.

Other fabrics can be wiped clean.

AVAILABLE AS
VERTICAL
ROLLER
ROMAN
PANEL



DAPPLE SPC+® | SOLAR, OPTICAL PERFORMANCE CHART

Fabric Colours	SOLAR			OPTICAL							G TOT			
	T _s	R _s	A _s	T _o	R _o	A _o	SC	CF	DIM out	UV block	SG	DG	TG	DG LE
Blush	14	51	35	10	53	37	0.51	6+	3	100	0.38	0.39	0.40	0.44
Cream	15	52	33	13	55	32	0.50	6+	3	100	0.38	0.39	0.39	0.43
Ice	16	53	31	14	56	30	0.49	6+	3	100	0.38	0.39	0.39	0.43
Maize	13	48	39	8	49	43	0.54	6+	3	100	0.39	0.41	0.41	0.45
Royal	7	27	66	0	13	87	0.74	6+	4	100	0.47	0.50	0.48	0.53
Slate	11	43	46	3	39	58	0.58	6+	3	100	0.41	0.43	0.43	0.47

EX-LITE®

ROLLER / ROMAN BLIND WIDTH: 1.83m (72")

VERTICAL WIDTHS: 89mm (3½")

127mm (5") other widths available on request

FABRIC COMPOSITION: 72% PVC, 28% glass fibre

FABRIC WEIGHTS: 450g/m2 (13.3oz/yd2)

FLAMMABILITY STANDARDS: Complies with BS 5867 (Part 2, Type B)

COLOUR FASTNESS: Tested in accordance with BS EN ISO 105-B01:1999

CLEANING: Wipe clean.



AVAILABLE AS

VERTICAL

ROLLER

ROMAN

EX-LITE® | SOLAR, OPTICAL PERFORMANCE CHART

Fabric Colours	SOLAR			OPTICAL							G TOT			
	T _s	R _s	A _s	T _o	R _o	A _o	SC	CF	DIM out	UV block	SG	DG	TG	DG LE
Black	0	4	96	0	4	96	0.96	6	5	100	0.57	0.54	0.54	0.60
Cream	0	61	39	0	68	32	0.41	6	5	100	0.29	0.32	0.34	0.38
Ivory	0	72	28	0	84	16	0.30	6	5	100	0.22	0.26	0.29	0.33
Light Grey	0	49	51	0	55	45	0.53	6	5	100	0.34	0.38	0.39	0.43
Navy	0	9	91	0	6	94	0.91	6	5	100	0.55	0.56	0.53	0.59
Putty	0	46	54	0	49	51	0.56	6	5	100	0.36	0.40	0.41	0.45
Sand	0	62	38	0	68	32	0.40	6	5	100	0.28	0.32	0.34	0.38
Slate	0	27	73	0	30	70	0.74	6	5	100	0.46	0.48	0.47	0.52
Snow	0	77	23	0	90	10	0.26	6	5	100	0.19	0.23	0.26	0.30
White	0	69	31	0	77	23	0.33	6	5	100	0.24	0.28	0.30	0.34

SUNDOWN

ROLLER / ROMAN BLIND WIDTH: 3.00m (118")

FABRIC COMPOSITION: 100% Polyester

FABRIC WEIGHTS: 400g/m2 (11.8oz/yd2)

FLAMMABILITY STANDARDS: Complies with BS 5867 (Part 2, Type B)

COLOUR FASTNESS: Tested in accordance with BS EN ISO 105-B01:1999

CLEANING: Wipe clean.



AVAILABLE AS

ROLLER

ROMAN

PANEL

SUNDOWN | SOLAR, OPTICAL PERFORMANCE CHART

Fabric Colours	SOLAR			OPTICAL							G TOT			
	T _s	R _s	A _s	T _o	R _o	A _o	SC	CF	DIM out	UV block	SG	DG	TG	DG LE
Airforce Blue	0	36	64	0	34	66	0.65	6+	5	100	0.41	0.45	0.45	0.49
Aluminium Grey	0	54	46	0	67	33	0.48	6+	5	100	0.30	0.35	0.35	0.39
Black	0	6	94	0	7	93	0.94	6+	5	100	0.56	0.57	0.59	0.59
Calico	0	68	32	0	84	16	0.34	6+	5	100	0.23	0.27	0.29	0.33
Chalk	0	62	38	0	76	24	0.40	6+	5	100	0.26	0.30	0.32	0.36
Dune	0	66	34	0	82	18	0.36	6+	5	100	0.31	0.35	0.36	0.40
Navy Blue	0	9	91	0	8	92	0.91	6+	5	100	0.55	0.56	0.57	0.58
Steel Grey	0	66	34	0	82	18	0.36	6+	5	100	0.39	0.43	0.44	0.47
White	0	69	31	0	86	14	0.33	6+	5	100	0.22	0.25	0.28	0.32

PERSPECTIVE

ROLLER / ROMAN BLIND WIDTH: 3.00m (118")

FABRIC COMPOSITION: 75% PVC, 25% Polyester

FABRIC WEIGHTS: 460g/m2 (13.6oz/yd2)

FLAMMABILITY STANDARDS: Complies with BS 5867 (Part 2, Type B)

COLOUR FASTNESS: Tested in accordance with BS EN ISO 105-B01:1999

CLEANING: Wipe clean



AVAILABLE AS

ROLLER

ROMAN

PANEL

PERSPECTIVE | SOLAR, OPTICAL PERFORMANCE CHART

Fabric Colours	SOLAR			OPTICAL							G TOT			
	T _s	R _s	A _s	T _o	R _o	A _o	SC	CF	DIM out	UV block	SG	DG	TG	DG LE
Arctic White	21	69	10	17	82	1	0.33	6	2	94	0.26	0.28	0.29	0.33
Desert Sand	20	60	20	15	68	17	0.42	6	3	95	0.31	0.32	0.35	0.41
Tuscan Beige	21	62	17	17	73	10	0.40	6	2	95	0.31	0.32	0.33	0.37
Windspray Grey	18	53	29	14	60	26	0.49	6	3	94	0.36	0.37	0.38	0.42
Shale Grey	13	44	43	9	51	40	0.57	6	3	95	0.39	0.41	0.42	0.45
Black Iron	4	8	88	4	9	87	0.92	6	3	95	0.59	0.59	0.60	0.61

TRIBUNE®

VERTICAL WIDTHS: 89mm (3½")

127mm (5") other widths available on request

FABRIC COMPOSITION: 100% Polyester

FABRIC WEIGHTS: 265g/m2 (7.8oz/yd2)

FLAMMABILITY STANDARDS: Complies with BS 5867 (Part 2, Type B)

COLOUR FASTNESS: Tested in accordance with BS EN ISO 105-B01:1999

CLEANING: Vertical blind fabrics are machine washable.



AVAILABLE AS

VERTICAL

TRIBUNE® | SOLAR, OPTICAL PERFORMANCE CHART

Fabric Colours	SOLAR			OPTICAL							G TOT			
	T _s	R _s	A _s	T _o	R _o	A _o	SC	CF	DIM out	UV block	SG	DG	TG	DG LE
Beige	21	59	20	16	58	26	0.43	5/6	2	99	0.35	0.36	0.37	0.41
Calico	17	69	14	14	73	13	0.33	6+	3	100	0.28	0.30	0.32	0.36
Caramel	15	53	32	6	45	49	0.49	6	3	100	0.37	0.39	0.40	0.44
Flint	19	55	26	11	47	42	0.47	5/6	3	98	0.37	0.39	0.39	0.43
Midnight	9	27	64	0	6	94	0.74	6+	4	100	0.48	0.50	0.49	0.54
White	20	73	7	20	79	1	0.29	6+	2	100	0.27	0.28	0.30	0.34

MAINE

ROLLER / ROMAN BLIND WIDTH: 1.83m (72")
FABRIC COMPOSITION: 100% polyester
FABRIC WEIGHTS: 450g/m2 (13.3oz/yd2)
FLAMMABILITY STANDARDS: Complies with BS 5867
(Part 2, Type B)
COLOUR FASTNESS: Tested in accordance with BS EN ISO 105-B01:1999
CLEANING: Wipe clean.

AVAILABLE AS
ROLLER
ROMAN
PANEL

MAINE I SOLAR, OPTICAL PERFORMANCE CHART

Fabric Colours	SOLAR			OPTICAL							G TOT			
	T _s	R _s	A _s	T _o	R _o	A _o	SC	CF	DIM out	UV block	SG	DG	TG	DG LE
Angora	0	65	35	0	77	23	0.37	6+	5	100	0.25	0.29	0.31	0.35
Maize	0	65	35	0	77	23	0.37	6+	5	100	0.25	0.29	0.32	0.35
Truffle	0	65	35	0	77	23	0.37	6+	5	100	0.25	0.29	0.32	0.36
White	0	65	35	0	77	23	0.37	6+	5	100	0.25	0.28	0.31	0.35



OSLO

ROLLER / ROMAN BLIND WIDTH: 3.00m (118")
VERTICAL WIDTHS: 89mm (3½")
127mm (5") other widths available on request
FABRIC COMPOSITION: 100% polyester
FABRIC WEIGHTS: 275g/m2 (8.1oz/yd2)
FLAMMABILITY STANDARDS: Complies with BS 5867
(Part 2, Type B)
COLOUR FASTNESS: Tested in accordance with BS EN ISO 105-B01:1999
CLEANING: Vertical blind fabrics are machine washable.
Other fabrics can be wiped clean.

AVAILABLE AS
VERTICAL
ROLLER
ROMAN
PANEL

OSLO I SOLAR, OPTICAL PERFORMANCE CHART

Fabric Colours	SOLAR			OPTICAL							G TOT			
	T _s	R _s	A _s	T _o	R _o	A _o	SC	CF	DIM out	UV block	SG	DG	TG	DG LE
Bamboo	28	38	34	26	37	37	0.63	6+	2	88	0.48	0.47	0.42	0.50
Birch	20	34	46	17	31	52	0.67	6+	2	92	0.43	0.48	0.43	0.51
Graphite	4	15	81	3	13	84	0.86	6+	3	98	0.51	0.54	0.47	0.57
Hazel	12	24	64	8	20	72	0.77	6+	3	96	0.45	0.52	0.45	0.49
Jasper	3	13	84	2	12	86	0.87	6+	3	99	0.47	0.55	0.47	0.57
Maple	22	36	42	18	33	49	0.65	6+	2	91	0.45	0.45	0.43	0.49



VOILE FR®

ROLLER / ROMAN BLIND WIDTH: 2.00m (78")
VERTICAL WIDTHS: 89mm (3½")
127mm (5") other widths available on request
FABRIC COMPOSITION: 100% polyester
FABRIC WEIGHTS: 120g/m2 (3.5oz/yd2)
FLAMMABILITY STANDARDS: Complies with BS 5867
(Part 2, Type B)
COLOUR FASTNESS: Tested in accordance with BS EN ISO 105-B01:1999
CLEANING: Wipe clean

AVAILABLE AS
VERTICAL
ROLLER
ROMAN
PANEL
PLEATED

VOILE FR® I SOLAR, OPTICAL PERFORMANCE CHART

Fabric Colours	SOLAR			OPTICAL							G TOT			
	T _s	R _s	A _s	T _o	R _o	A _o	SC	CF	DIM out	UV block	SG	DG	TG	DG LE
Cream	62	36	2	63	37	0	0.65	5	1	55	0.58	0.53	0.52	0.54
Grey	59	38	3	58	37	5	0.63	5+	1	51	0.55	0.51	0.50	0.52
Natural	63	36	1	63	37	0	0.65	6	1	54	0.57	0.52	0.51	0.53
White	65	35	0	65	35	0	0.66	6+	1	42	0.55	0.51	0.50	0.52



CONTEX SPC®

ROLLER / ROMAN BLIND WIDTH: 2.00m (78")
VERTICAL WIDTHS: 89mm (3½")
127mm (5") other widths available on request
FABRIC COMPOSITION: 100% glass fibre
FABRIC WEIGHTS: 245g/m2 (7.2oz/yd2)
FLAMMABILITY STANDARDS: Complies with BS 5867
(Part 2, Type B)
COLOUR FASTNESS: Tested in accordance with BS EN ISO 105-B01:1999
CLEANING: Wipe clean.

AVAILABLE AS
VERTICAL
ROLLER
ROMAN
PANEL

CONTEX SPC® I SOLAR, OPTICAL PERFORMANCE CHART

Fabric Colours	SOLAR			OPTICAL							G TOT			
	T _s	R _s	A _s	T _o	R _o	A _o	SC	CF	DIM out	UV block	SG	DG	TG	DG LE
Apollo	5	72	23	4	77	19	0.30	6	3	100	0.27	0.30	0.31	0.35
Galaxy	17	72	11	13	77	10	0.30	6+	3	100	0.27	0.29	0.31	0.35
Lunar	18	71	11	17	76	7	0.31	6+	2	100	0.27	0.29	0.31	0.36
Meteor	15	72	13	12	78	10	0.30	6+	3	100	0.26	0.29	0.31	0.35
Neptune	15	70	15	10	73	17	0.32	5/6	3	100	0.27	0.30	0.32	0.37



Blinds with Louvolite Performance fabrics supplied by: